

July 1, 2025

**TAMRON Completes the G2 Trinity¹,
Announces Ultra Wide-Angle 16-30mm F/2.8 Di III VXD G2 Zoom Lens
for Sony E-mount and Nikon Z mount Full-frame Mirrorless**

July 1, 2025 – Tamron Co., Ltd. (President & CEO: Shogo Sakuraba; Headquarters: Saitama City, Japan; “TAMRON”), a leading manufacturer of optics for diverse applications, announces the launch of the 16-30mm F/2.8 Di III VXD G2 (Model A064), an ultra wide-angle lens, on July 31, 2025 for Sony E-mount and August 22, 2025 for Nikon Z mount full-frame mirrorless cameras.



PRODUCT NAME	DATE OF LAUNCH
16-30mm F/2.8 Di III VXD G2 (Model A064)	July 31, 2025 (Sony E-mount)
For Sony E-mount, Nikon Z mount	August 22, 2025 (Nikon Z mount)

Expanding upon the success of the highly acclaimed TAMRON 17-28mm F/2.8 Di III RXD (Model A046), the G2, 2nd-generation emerges as an advanced 16-30mm F/2.8 Di III VXD G2 (Model A064). While broadening the zoom range, it maintains a compact, lightweight design and delivers exceptional image quality. In addition, it features improved autofocus performance and has been updated to the latest lens design, enhancing overall operability. It's also compatible with TAMRON Lens Utility™, allowing you to customize practical functions for both photography and videography. Retaining the mobility and versatility of its predecessor, the 16-30mm F2.8 G2 unlocks new creative possibilities. Experience the unique creative expressions that only a fast, ultra wide-angle lens can offer.

With the release of the 16-30mm F2.8 G2 ultra wide-angle zoom, the fast G2 trinity, “*Daisangen*”² is now complete¹, alongside the standard zoom 28-75mm F2.8 G2 (Model A063) and 70-180mm F2.8 G2 (Model A065) telephoto zoom. Together, these lenses cover the extremely versatile 16mm to 180mm

PRESS RELEASE

range, making them ideal for virtually any scene. Experience the perfect blend of performance and functionality, making professional-level photography more accessible than ever.

■ Product features

- 1. Evolution of the G2: Meet the Next Generation 16-30mm F2.8 G2 Ultra Wide-Angle Zoom Lens**
- 2. Unlock New Possibilities in Landscape and Snap Photography with an Expanded Field-of-View**
- 3. Lightweight, Compact, and Built for Mobility, It's Perfect for Travel and Everyday Photography and Video Content Creation**
- 4. Exceptional Optical Performance with High Resolution, Capturing the Finest Details of Landscapes and Architecture, and Rendering Beautiful Bokeh**
- 5. High-Speed, High-Precision AF to Quietly Capture All the Action**
- 6. Versatile Close-Up Photography, Ideal for Tabletop and Indoor Shots**
- 7. Compatible with TAMRON Lens Utility™ Software**
- 8. Comfortable Ergonomic Design for Ease of Use**
 - Enhanced Exterior Surface
 - Zoom Ring, Focus Ring: Improved Grip Texture and Smoother Overall Operation
- 9. Unified 67mm Filter Size**
- 10. Complete G2 Trinity, "Daisangen"**
- 11. Protective Features (Moisture-Resistant Construction and Fluorine Coating)**

Note:

1 For Nikon Z mount, available only with 16-30mm F2.8 G2 and 28-75mm F2.8 G2 as of June, 2025.

2 The term "Daisangen" originates from the game of mahjong, where it refers to a winning hand made by collecting three sets of dragon tiles. Drawing from this concept, the photography industry uses the term "Daisangen lenses" in Japan to describe a set of three zoom lenses—a wide-angle, a standard, and a telephoto—all featuring a constant F2.8 aperture throughout their zoom range.

SPECIFICATIONS

Model	: A064
Focal Length	: 16-30mm
Maximum Aperture	: F2.8
Angle of View (diagonal)	: 107° 2' - 71° 35' (for full-frame mirrorless format)
Optical Construction	: 16 elements in 12 groups
Minimum Object Distance	: 0.19m / 7.5in (WIDE), 0.3m / 11.8in (TELE)
Maximum Magnification Ratio	: 1:5.4 (WIDE) / 1:7 (TELE)
Filter Size	: φ67mm
Maximum Diameter	: φ74.8mm
Length*	: 101.8mm (4in) for Sony E-mount 103.9mm (4.1in) for Nikon Z mount
Weight	: 440g (15.5oz) for Sony E-mount 450g (15.9oz) for Nikon Z mount
Aperture Blades**	: 9 (circular diaphragm)
Minimum Aperture	: F16
Standard Accessories	: Flower-shaped hood, Front cap, Rear cap
Mount	: Sony E-mount, Nikon Z mount

* Length is the distance from the front end of the lens to the lens mount face.

** The circular diaphragm stays almost perfectly circular up to two stops down from maximum aperture.

Specifications, appearance, functionality, etc. are subject to change without prior notice.

This product is developed, manufactured, and sold based on the specifications of E-mount which was disclosed by Sony Corporation under the license agreement with Sony Corporation.

This product is developed, manufactured, and sold under the license agreement with Nikon Corporation.

About Tamron Co., Ltd.

TAMRON provides a wide range of original optical products, from interchangeable lenses for digital cameras to various optical devices for both the general consumer and OEM. We make optical products that contribute to a range of different industries and will continue to devote our rich creativity and leading-edge technical prowess to various industrial fields. Furthermore, TAMRON is fully aware of

PRESS RELEASE

our responsibility to the environment and aspires to help preserve the natural environment in all our business activities. For more details, please visit the official website of Tamron Co., Ltd.

(<https://www.tamron.com/global/>)

Optical Product Line-up:

Interchangeable lenses for Mirrorless and DSLR cameras, Network Surveillance camera lenses, FA and Machine vision lenses, Teleconferencing lenses, Camera modules, Automotive camera lenses, Lenses for compact digital cameras and video cameras, Drone lenses, Medical devices and Various optical device units.